

PharmLabs San Diego Certificate of Analysis

3421 Hancock St, Second Floor, San Diego, CA 92110 | License: C8-0000098-LIC
 ISO/IEC 17025:2017 Certification L17-427-1 | Accreditation #85368



Sample **Raw Amanita Caps (FP)**

Sample ID	SD230513-003 (75431)	Matrix	Edible (Other Cannabis Good)
Tested for	Winner's Circle Wellness		
Sampled	-	Received	May 12, 2023
		Reported	May 23, 2023
Analyses executed	AMU, PSY		

Laboratory note: This sample may contain amounts of Ibotenic Acid and Muscarine that are not identified by our current method. The reported values for Muscimol may be inflated by the presence of Ibotenic Acid and/or Muscarine in the sample. Method validation is in process to accurately identify Ibotenic Acid and Muscarine.

- Potency Analysis

Analyzed May 20, 2023 | Instrument NA

Analyte	Result %	Result mg/g
Muscimol (MUOL)	3.41	34.13

UI Not Identified
 ND Not Detected
 N/A Not Applicable
 NT Not Reported
 LOD Limit of Detection
 LOQ Limit of Quantification
 <LOQ Detected
 >ULOL Above upper limit of linearity
 CFU/g Colony Forming Units per 1 gram
 TNTC Too Numerous to Count



Scan the QR code to verify authenticity.

Authorized Signature

Brandon Starr

Brandon Starr, Lab Manager
 Tue, 23 May 2023 11:49:10 -0700

PharmLabs San Diego | 3421 Hancock St, Second Floor, San Diego, CA 92110 | 619.356.0898 | ISO/IEC 17025:2017 Certification L17-427-1



*This report shall not be reproduced except in full, without the written approval of the lab. This report is for informational purposes only and should not be used to diagnose, treat or prevent any disease. Results are only for samples and batches indicated. Results are reported on an "as received" basis, unless indicated otherwise. When a Pass/Fail status is reported, that status is intended to be in accordance with federal, state and local laws which are required for the customer to be in compliance. The measurement of uncertainty is not included in the Pass/Fail evaluation unless explicitly required by federal, state or local laws and has been reported on the certificate of analysis. Measurement of uncertainty is available upon request.